

### **EXAMPLE 1.** HYPOTHETICAL – NEW PC-BOILER (1304 MMBTU/HR)

#### Tools:

Emissions Factors (EF) based on proposed permit limits:

Pollutant	Emissions Factor (lb/MMSCF NG)*	
PM	Limited to 0.15 gr/dscf	
$SO_2$	0.11	
$NO_x$	0.09	
VOC	0.0034	
CO	0.15	
Greenhouse Gases		
$CO_2$	213.4 lb/MMBtu	
CH <sub>4</sub>	0.04 lb/ton	
N <sub>2</sub> O	0.64 lb/ton	

## **PROBLEM SOLVING:**

### Question 1: What would the emissions be for the proposed project?

#### Example Calculation:

 $\overline{PM_{10}}$  Emissions [tons/yr] =

(90 MMBtu/hr)\* (1 MMSCF/1020 MMBtu)\* (7.6 lb/MMSCF)\*(8760 hr/yr)\* 1 ton/2000 lb = **2.93 tons/yr** CO<sub>2</sub> Emissions [tons/yr] =

(1304  MMBtu/hr) * (213.4  lb/MMBtu) * (8760  hrs/yr) * (0.0005  ton/lb) = 1218838		
Calculations		

Calculated Total Emissions from the PC-Boiler (Tons/Year):							
PM/PM <sub>2.5</sub> /PM <sub>10</sub>	SO <sub>2</sub>	NO <sub>x</sub>	VOC	CO	$CO_2$	CH <sub>4</sub>	N <sub>2</sub> O
139.95	628.40	514.13	19.54	856.908	1218838	13.13	26.26

### Question 2: On a mass basis, what are the total emissions of GHGs?

CO<sub>2</sub>+CH<sub>4</sub>+N<sub>2</sub>O = Total Emissions of GHG's (on a mass basis, tpy) = tpy



### Question 3: What are the total emissions of $CO_{2e}$ ?

Step 1: Refer to Global Warming Potential (GWP) Table (Title 40, Part 98, Subpart A, Table A-1)

Step 2: Identify pollutants and their respective GWPs.

Pollutant	Global Warming Potential
$CO_2$	1
CH <sub>4</sub>	21
N <sub>2</sub> O	310

 $CO_{2e}(tpy) = \sum_{i} (GWP_i \times MassEmissionRate_i(tpy))$ 

 $CO_{2e}(tpy)$  Example = (mass  $CO_2*1$ ) + (mass  $CH_4*21$ ) + (mass  $N_2O*310$ ) =

= tons/yr

Calculations [tons/yr] =		

Question 4: So, we have

GHGs(mass)	$\mathrm{CO}_{2\mathrm{e}}$	

# **APPLICABILITY ANALYSIS:**

Question 1: Does this facility require a Title V permit "anyway" (e.g. regulated pollutants  $\geq$  100 tpy)?

Question 2: Does the permit action have GHG emissions in excess of thresholds?

Yes	No
Yes	No
Yes	No
Yes	No
	Yes Yes

Question 3: Does the permit action require a PSD "anyway"?

>100 tpy listed major source (ARM 17.8.801)	Yes	No	
>250 tpy non-listed major source	Yes	No	



# What are the facility's permit requirements?

If the Permit Decision occurs before 1/2/2011: GHG's do not need to be considered

### Step 1: If the permit decision occurs between 1/2/2011 and 7/1/2011:

<u>PSD</u> Does the fa - -	cility trigger a PSD action "anyway"?  If NO, then GHG's do not undergo PSD review.  If YES, do the GHG emissions exceed thresholds?  GHG mass ≥ 0 tpy Yes/No  CO2e ≥ 75,000 TPY Yes/No
	s to both thresholds - then the GHGs must undergo PSD review. to either thresholds - then the GHGs do not undergo PSD review.
No	cility need a Title V Operating permit "anyway"? - GHG's do not need to be addressed. s - GHG's must be addressed in the Title V Operating permit.
Step 2: If t	the permit decision occurs <u>after 7/1/2011</u> :
<u>PSD</u>	
1. 1	Do any of the criteria pollutants exceed 100 tpy for a listed source or 250 tpy?  - If Yes, then the facility must undergo PSD review for applicable regulated pollutants, and further analysis would be required to determine if GHGs are subject to PSD (refer to #2).  -if no, then proceed to question #3
2. 1	Do the GHG emissions trigger PSD?  a. GHG mass emissions ≥ 0 tpy?  b. CO2e emissions ≥ 75,000 TPY CO2e?  - If Yes to both 1(a) and (b) - then the GHGs must undergo PSD review.  - If NO to either 1(a) or (b) - then proceed to #3
3. 1	Do the GHG emissions trigger PSD (continued from #2)?  a. GHG mass ≥ 100(listed)/250 tpy?  b. CO2e ≥ 100,000 TPY CO2e?  - If Yes to both 2(a) and (b) - then the GHGs trigger PSD review and the facility must undergo PSD review for applicable regulated pollutants.  - If NO to either 2(a) or (b) - then the GHGs do not trigger PSD review.
Noi - If <sub>.</sub> app	cility subject to a Title V based on criteria pollutants "anyway"? n-GHG emissions ≥ 100 tpy? yes, a Title V permit is required for this facility and the application must include GHG olicable requirements. no, proceed to number 2.



SES JESNVIRONMENTAL QUALITY	Air Resources Management Burea
2. Is the facility subject to a Title V (continued)?	
a. GHG mass emissions ≥ 100 tpy	Yes/No
b. CO2e emissions ≥ 100,000 tpv	Yes/No

- If the answer is yes to 2(a) and 2(b), then the facility would need to obtain a Title V Operating Permit. The facility must include GHG applicable requirements.

  - If the answer is no to (1) and either 2(a) or 2(b), the facility would not be required to obtain a
- Title V Operating Permit.